



INDEX MAPS.

T. 5 N R. 6 W 2nd Mer.T. 6 N R. 6 W 2nd Mer.

The figures on the lines refer to the page.

35

Township N. 6. North of Range N. 6 West of the 2nd Mer. Indiana,
 Ch. Co.

South Boundary

Wash Quaternary line On the South Boundary of sec 36.
 T. N. 6. R. 6 W.

40.00 Set a temp. post for the cor. of $\frac{1}{4}$ sec

80.00 Set a temp. post for the cor. of sec. 35 & 36.

Land rolling Timber Oak & Hickory.

Wash Quaternary line on the South Boundary of sec. 35

40.00 Set a temp. $\frac{1}{4}$ sec post T. 6 N. R. 6 W.

80.00 Set a temp. post for the cor. of sec. 34 & 35

Land bushy

Wash Quaternary line On the South Boundary of sec. 34

T. 6. N. R. 6 W.

40.00 Set a temp. $\frac{1}{4}$ sec post

80.00 Set a temp. post for the cor. of sec. 33 & 34.

Land level and timber same and bushy.

Wash Quaternary line On the South Boundary of sec. 33.

T. 6. N. R. 6 W.

23.00 To a Pond 250 links wide, corner N. 1/2 S

40.00 Set a temp. $\frac{1}{4}$ sec post

80.00 Set a temp. post for the cor. of sec. 32 & 33.

This post stands in rich land; Timber Poplar, Ash, & Walnut

Wash Quaternary line On the South Boundary of sec. 32

9.50 To the Left Bank of White River.

19.80 " " Right do " " "

80.00 Set a temp. post for the cor. of sec. 31 & 32

Land the same. Rich &c.

Wash Quaternary line On the South Boundary of sec. 31.

T. N. C. A. R. N. C. M. 2nd Mer. Ind.

4000 Set a trap 7/4 to post
 85.28 Intersub the N 15 Range 28 ch. South of the Tim cor.

Established the cor of terms. 576. N R: 6 1/2 W.
 15 ch. South of the cor of terms. 576. N R: 7 W. from.
 White Mulberry 12 in. diam. trees. N 20 E. 46 links each
 under an Elm. 15 " " " S 84 E. 57 " " " " " "

East On the new line On the South Boundary of T. 31.
 T. 6 N R. 6 W. Var. 500

45.28 Set a 7/4 sap post on the new line from which
 Oak. 12 in. diam. trees. S 78 W 22 links each; 15
 Hickory 10 " " " N 26 W. 23 " " "

85.28 Set a post for the cor of T. 31 & 32 on the new line from.
 which. Spruce 20 in. diam. trees. N 24 E. 24 links each
 under an Oak. 12 " " " S 82 W 36 " " "

East On a new line On the South Boundary of T. 32.
 T. 6 N R. 6 W.

40.00 Set a 7/4 sap post from which
 Buckeye. 9 in. diam. trees. N 44 W. 9 links each; 15
 Engw. 10 " " " S 39 E. 15 " " "

60.00 Set a Buckeye 10 in. diam. stands for the cor of T. 32
 on the Right Bank of White River.

70.50 Set a post on the Left Bank of White River for the cor of
 T. 32 from which.

Willow 10 in. diam. trees. N 30 W 10 links each; 15
 " " " " " " " N 60 W 15 " " "

80.00 Set a post for the cor of T. 32 & 33 from which
 Buck. 9 in. diam. trees. S 59 W 9 links each; 15
 Hackberry 8 " " " S 9 E. 14 " " "

East On the new line On the South Boundary of T. 33.

40.00 Set a 1/4 post on the true line from which,
 Locust: 20 in. diam. bent. N 34 W. 21 links sub; 45
 Oak: 8 " " " N 80 E. 31 " "
 80.00 Set a post for the corner of 33 & 34 on the true line from which
 a blackberry 9 in. diam. bent. N 65 W. 10 links sub; 45
 Do. 10 " " " S 12 W. 22 " "

East On the true line On the South Boundary of sec. 34.
 T. 6. N. R. 6 W.

40.00 Set a 1/4 post on the true line from which on
 Elm: 12 in. diam. bent. S 12 W. 20 links sub; 45
 Do. 18 " " " N 44 W. 61 " "
 80.00 Set a post for the cor of sec. 34 & 35 on the true line from which,
 Oak: 10 in. diam. bent. N 84 W. 110 links sub; 45
 Do. 6 " " " N 53 E. 68 " "

East On the true line On the South Boundary of sec. 35.
 T. 6. N. R. 6 W.

40.00 Set the temporary 1/4 post as timber regd.
 80.00 Set a post for the corner of sec. 35 & 36 on the true line from which,
 Oak: 20 in. diam. bent. S 21 E. 27 links sub; 45
 Do. 24 " " " N 13 W. 54 " "

East On the true line On the South Boundary of sec. 36.
 T. 6. N. R. 6 W.

40.00 Set the temporary 1/4 post on the true line from which,
 Hickory 9 in. diam. bent. N 86 E. 40 links sub;
 80.00 Set the post corner of sec. 36. N. R. 5 & 6 W.

East Boundary

R. 6. 15'

D. 8.

North On the East Boundary of sec. 36. T. 6. N. R. 6 W.

9.40 To adjoining corner E.

40.00 Set a 1/4 post from which

T. N. 6. R. 6. W. 2nd Mer. Ind.

W Oak 20 in. diam. bend. S 2 N. 28 links east, &
 Hogback 6 " " " North 25 " "
 4040 Set a post 75 links west, corner N.W.
 4782 " " same " " " " N.E.
 52.00 " " do " " " " West
 80.00 Set a post for the cor of sec 25 & 36. from which
 Elms. 8 in. diam. bend. S 30 E. 7 links east, &
 do. 7 " " " N 85 W 27 " "
 Land rolling

North On the East Boundary of sec. 25 T. 6. R. 6. W.
 21.00 Trapping. corner S.W.
 40.00 Set a post from which
 Red Elm 10 in. diam. bend. S 11 W. 14 links east, &
 Elm. 9 " " " N 59 W. 16 " "
 39.00 Set a post on the Left Bank of White River for the
 cor of sec. 25 from which on
 Elm. 12 in diam. bend. S 24 W 20 links east,
 65.88 Set a post on the Right Bank of White River for the
 cor of sec. 25. from which on
 Elm. 20 in diam. bend. S 42 E. 19 links east, &
 do. 10 " " " N 58 W 23 " "
 80.00 Set a post for the cor. of sec 24 & 25 from which on
 Elm - in. diam. bend S 58 E 18 links east, &
 do. 10 " " " N 20 W 18 " "
 Land rich Timber Elm. Ash, Walnut, Hick &c.

North On the East Boundary of Sec. 24 T. 6. R. 6. W.
 40.00 Set a post for the cor of 1/4 Sec. from which an
 Elm 10 in diam. bears S 36 E 49 links diam. to
 W. Oak 20 in diam. " N. 19. W. 37. " "
 75.00 In a Prairie
 80.00 Set a post for the cor. of Sec. 13 & 24 in the prairie.

North On the East Boundary of Sec. 13. T. 6. S. R. 6. W.
 46.00 Set a post for the cor. of 1/4 Sec. in
 45.00 To Timbered Land
 80.00 Set a post for the cor. of Sec. 12 & 13. T. 6. S. R. 6. W. from which
 a W. Oak 29 in diam. bears S. 9. W. 33 links dist. to
 " Do 18. " " " S. 84. E. 25. " "
 Soil thin; Timber Oak & Hickory.

North On the East Boundary of Sec. 12. T. 6. S. R. 6. W.
 46.00 Set a post for the cor. of 1/4 Sec. from which a
 B. Oak 20 in diam. bears S. 12 E. 26 links dist. to
 W. Oak 18. " " " West 36 links dist.
 46.00 To a pond 31 chains wide across S. W.
 80.00 Set a post for the cor. of lot 1 & 12 from which a
 B. Oak 12 in diam. bears N. 20 W. 222 links dist.
 Same as last mile.

North On the East Boundary of lot 1. T. 6. S. R. 6. W.
 40.00 Set a post from which
 Hick 7 6 in diam. bears S. 12 E. 21 links dist. to
 W. Oak 8 " " N. 23 E. 20 " "
 45.00 To a W. Oak 10 in diam. stands in the line.
 80.00 Set a post for the cor. of lots 6 & 7. T. 6. S. R. 6. W. at
 the distance of six miles from the South Boundary
 Surveyed by
 Arthur Harris. A.S.

North Boundary

~~North On a Random line On the South Boundary of lot 36.
 T. 6. S. R. 6. W.
 40.00 Set a post for the cor.
 80.00 Set a post for the cor. of lot 35 & 36.
 Soil sandy; Timber Oak & S.~~

T. N. 6. R. N. 6 W. 2nd Mer. Ind.

North From Harris 6 mile stake continued North
28.50 made full 125 links West of the trap post mark
as to intersection and run

West On the South Boundary of sec. 36. On a Random line
T. 7. N. R. 6 W.

40.00 Set a trap post 1/4 sec post

80.00 Set a trap post on the East side of a large prairie
for the cor of sec 35 & 36.
Ground sandy little alk.

West On a Random line On the South Boundary of sec. 35.
T. 7. N. R. 6 W.

40.00 Set the trap post 1/4 sec post in prairie

55.00 Quik prairie

80.00 Set a post for the cor of sec 34 & 35. (Trap post)

West On a Random line On the South Boundary of sec. 34
T. 7. N. R. 6.

10.00 Enter a very large wet prairie.

40.00 Set a trap post 1/4 sec post in sec.

80.00 Set a " post for the cor of sec 33 & 34 in prairie

West On a Random line On the South Boundary of sec. 33.
T. 7. N. R. 6 W.

15.00 Quik prairie

40.00 Set a trap post 1/4 sec post

60.00 Crossed a small road.

80.00 Set a post trap post for the cor of sec. 32 & 33.

West On a Random line On the South Boundary of sec. 32
T. N. 7. N. R. 6 W.

40.00 Set a trap post 1/4 sec post

80.00 " " " post for the cor of sec. 31 & 32.

T. N. 6. N. R. N. 6 W. 2nd Mer. Sud?

N. Oak. 30 in. diam. trunk. N 61 W. 28 links dist; 13

East On the true line On the South Boundary of sec. 32,
T. 7. N. R. 6 W.

40.00 Set the trap 7th to a post on the true line from which
N. Oak 12 in. diam. trunk. N 25 E. 12 links dist; 13
N. Oak. 24 " " " S 30 E. 54 " "

80.00 Set the trap 7th post on the true line for the cor. of sec. 32 & 33
from which N. Oak 14 in. diam. trunk. N 66 W. 22 links dist;
under N. Oak. 24 " " " S 35 E. 33 " "

West On the true line On the South Boundary of sec. 33.
T. N. 7. N. R. N. 6 W.

40.00 Set a trap 7th to a post on the true line from which,
N. Oak. 18 in. diam. trunk. S 34 E. 12 links dist; 13
do. 24 " " " S 67 W. 31 " "

80.00 Set the trap 7th post on the true line for the cor. of sec. 33 & 34
from which one N. Oak. 24 in. diam. trunk. N 48 E. 111 links dist.
no other tree near.

West On the true line On the South Boundary of sec. 34.
T. N. 7. N. R. N. 6 W.

40.00 Set the trap 7th to a post on the true line in a large oak
sprain.

80.00 Set a post on the true line for the cor. of sec. 34 & 35. from
which one Elm. 16 in. diam. trunk. N 85 W. 29 links dist; 8
" N. Oak 9 " " " N 17 E. 20 " "

East On the true line On the South Boundary of sec. 35.
T. 7. N. R. 6 W.

40.00 Set the trap 7th to a post at an. dist on the true line.
in a sprain.

80.00 Set the trap 7th post on the true line for the cor. of sec. 35 & 36.

T. N. 6. N.R. N. 6 W. 2nd Mer. Ind:

from which Hickory 16 in. diam. bears S 26 E 40 links out; 1/5
 under B. Oak 6 " " " N 67 W 38 " "

Cash	On the line On the South Boundary of sec. 36 T. N. 7. N.R. 6 W.
40.00	Set the temporary 1/4 section on the new line. from which, Hickory 7 in. diam. bears. N 58 W 4 links out; 1/5 Do 8 " " " S 54 E 12 " "
80.00	Set the post cor of T. 6. & 7 N.R. 5 & 6 W. from which, B. Oak 12 in. diam. bears. South 12 links out; 1/5 Hickory 6 " " " N 77 W 19 " "
	Surveyed by Alexander Holmsted L.S.

West Boundary.

North	On the East Boundary of sec. 36. T. 6. N.R. 7 W. Begin at the S.E. corner of sec. 36.
0.54	To a Galleopod 15 in. diam. stands in the line.
19.80	" cor. ash. 30 " " " " " "
40.00	Made the cor for 1/4 sec. in a Hickory 20 in. diam.
67.84	To a Hickory 18 in. diam. stands in the line.
80.00	Set a post for the cor of sec. 25 & 36. from which - Buck. 36 in. diam. bears. N 86 W 36 links out; 1/5 Do 36 " " " S 70 W 21 " "
	Grass bottom land; Timber ash & Sugar.

North	On the East Boundary of sec. 25. T. 6. N.R. 7 W.
0.54	To a Buck. 36 in. diam. stands in the line
3.80	To an Elm. 20 " " " " " "
40.00	Set a post for the cor of 1/4 sec. from which - Hickory 4 in. diam. bears. N 81 E 6 links out; 1/5 Elm. - " " " N 37 W 21 " "
43.63	To a Locust, - in diam.

T. N. 6. N.R. N. 67. 2nd Mer. Ind.

62.00 Left the bottom.
 80.00 Set a post for the cor of sec. 24 & 25 from which,
 49 Oak. 30 in diam. bears S 26 W 75 links out; &
 40. 30 " " " N 37 W 57 " "
 Sand pine bottom; Timber Walnut &c.

North On the East Boundary of sec. 24. T. 6. N.R. 7 W
 21.00 To prairie
 40.00 Set a post in prairie
 80.00 " " post for the cor of sec. 13 & 24

North On the East Boundary of sec. 13. T. 6. N.R. 7 W
 33.83 To a B. Oak. 24 in diam. in the line.
 40.00 Set a post from which,
 49 Oak. 20 in. diam. bears S 72 E. 150 links out;
 45.00 Left the Prairie
 53.44 To a W Oak.
 70.00 To a Pond. 11.00 ch. near,
 80.00 corner in the pond for. 12 & 13.
 Wet prairie. land.

North On the East side, of sec. 12. T. 6. N.R. 7 W.
 1.00 Left the pond.
 33.85 To a B. Oak. 24 in. diam. stands in the line,
 40.00 Set a post from which
 49 Oak. 18 in. diam. bears N 50 E. 30 links out; &
 Hickory 20 " " " S 65 W 36 " "
 54.85 To a W Oak. 24 in. diam. stands in the line.
 80.00 Set a post for the cor of sec. 18 & 12 from which,
 49 Oak. 24 in. diam. bears S 57 W 17 links out; &
 49 Oak. 20 " " " N 45 W 5 " "
 Good Oak Land.

North
2.61 On the East Boundary of la. 1. T. C. M. R. 77.
To a W. Oak. 10 in diam. stands in the line.
11.00 To a Pond.
40.00 The 1/4 la. cor. with the pond.
80.00 Cor of T. C. 677. M. R. 677 N.
Surveyed by
Stephen Benton D.S.

(Subdivisions)

North
Between Sec. 35. & 36. T. C. N. R. 86. M.
40.00 Set a post for the cor. of 1/4 Sec. from which a
Wherry 6 in diam. bears N. 56 E. 18. links dist. S.
S. 21. " " " S. 21. E. 9. " "
74.00 To a Bush 75. links wide; course S. W.
80.00 Set a post for the cor. of Sec. 25. & 26. 35. & 36. from which
a Bush 12 in diam. bears N. 12 E. 11. links dist. S.
S. 10 " " " S. 38. W. 19. " "
Land rolling; Soil thin Timber, Oak & Hick.

East
On a Boundary line between Sec. 25. & 36. T. C. N. R. 6. M.
40.00 Set a temp. post for the cor. of 1/4 Sec.
80.00 Intersect the N. & S. line 20 links South of the post cor.
of Sec. 25. & 36.
Land rolling Arch. Timber Sugar & Beech.

West
On the true line between Sec. 25. & 36. T. C. N. R. 6. M.
40.00 Set a post for the cor. of 1/4 Sec. at the a/c. dist. on the true line
from which a Sugar 10 in diam. bears N. 11. W. 8. links dist. S.
S. 12. " " " N. 73. E. 9. " "
80.00 To the post for the cor. of Sec. 25. 26. 35. & 36.

North
Between Sec. 25. & 26. T. C. N. R. 86. M.
35.00 To a Pond 300 links wide, course E. & W.

T. 6. N. 6. N. 6. W. 2nd Mer. Ind.

- 40.00 Set a post for the cor. of 14 Sec. from which a
Mulberry 12 in diam. bears N 57. E 41. links dist. &c
Buck 20. " " " S. 15. E. 39. " "
- 80.00 Set a post for the cor. of Sec. 23. 24. 25. & 26. from which
a Hackberry 10 in diam. bears S 23. W 18. links dist.
&c No 9. " " " N 74 E. 24. " "
Land rich & level; Timber Hackberry, Walnut, Oak &c.

- East Between Sec. 24. & 25. T. 6. N. 6. N. 6. W.
28. 58 Set a post on the Left Bank of White River from which a
Sugar 12 in diam. bears N 4. E. 4. links dist. &c
No 10. " " " S. 12. W. 31. " "
Land very rich
- West Between Sec. 24. & 25. T. 6. N. 6. N. 6. W.
37. 50 Set a post on the Right Bank of White River, from which
a Sugar 12 in diam. bears S. 2. E. 16. links dist. &c
No 10. " " " N 20 E. 42. " "
Land same as above

- North Between Sec. 23. & 24. T. 6. N. 6. N. 6. W.
19. 34 Set a post on the Left Bank of White River.
from which a Maple 6 in diam. bears S 8. E. 6. lks. dist.
and a No 6. " " " S. 58. W 7. " "
25. 44 Set a post on the Right Bank of White River
from which an Ironwood 6 in diam. bears N 6. W. 17. links dist. &c
No 6. " " " S. 84 W. 6. " "
- 40.00 Set a post for the cor. of 14 Sec. from which a
W. Oak 8 in diam. bears S 50. E. 34. links dist. &c
Sycamore 7. " " " S. 81. E. 31. " "
- 80.00 Set a post for the cor. of Sec. 13. 14. 23. & 24. from which
a W. Oak 12 in diam. bears N 16. W. 50. links dist. &c
B. Oak 20. " " " N 25 E. 28. " "
Land same as in the last mile

East On a Random line between Sec. 13 & 24 T. 6 N. R. 6 W.
 40.00 Set a temp. post for the cor. of $\frac{1}{4}$ Sec.
 74.00 To a Prairie
 80.00 Enter at the S. & E. line 12 links South of the post cor. of
 13 & 24. - Land rolling Timber Oak & Hickory.

West On the true line between Sec. 13 & 24 T. 6 N. R. 6 W.
 40.00 Set a $\frac{1}{4}$ post at av. cor. on the true line from which
 W. Oak 10 in. dia. stands. South 28 links with; & 5
 No. 10 " " " N 42° W 6 " "
 80.00 To the post cor. of sec. 13 14 23 & 24.

North Return Sec. 13 & 14 T. N. C. N. R. 6 W.
 10.00 To a Brook 5 links wide, comes W.
 40.00 Set a $\frac{1}{4}$ post on timber high.
 80.00 Set a post for the cor. of sec. 11 12 13 & 14 from which
 W. Oak 9 in. dia. stands. N 18° W. 125 links with; & 3
 No. 8 " " " N 36° 102 " "
 Soil thin and sandy Many th W. Oak & Hickory.
 Thinly timbered

East On a Random line between Sec. 12 & 13 T. 6 N. R. 6 W.
 25.00 To a Prairie
 40.00 Set a temp. $\frac{1}{4}$ post.
 55.00 To timbered land
 79.80 Enter at the N. & E. line at the post cor. of sec. 12 & 13.
 Land level;

West On the true line between Sec. 12 & 13 T. 6 N. R. 6 W.
 39.90 Set the temp. $\frac{1}{4}$ post at av. cor. on the true line
 To the post cor. of sec. 12 & 13. 11 & 14

North Return Sec. 11 & 12 T. 6 N. R. 6 W.

T. N. 6. N. R. N. 6. W. 2nd Mer. Ind.

- 40.00 Set a $\frac{1}{4}$ section post from which
 Mark 10 in. dia. beam N10 W 52 links each.
- 48.85 To a Mark 10 in. dia. beam in the line on the South
 side of prairie
- 80.00 Set a post for the cor of Sec. 1, 2, 11, & 12 from which,
 Mark 18 in. dia. beam N15 E. 89 links each; & 3
 The above part is prairie Land some a few trees.

- East On a Random line between Sec. 1 & 12 T. 6. N. R. 6 W.
- 5.00 To timbered land.
- 40.00 Set a temporary $\frac{1}{4}$ section post.
- 80.00 Intersect the N13 line 8 links South of the post cor of
 1 & 12. Land soil and timber same.

- West On the line between Sec. 1 & 12 T. 6. N. R. 6 W.
- 40.00 Set the temporary $\frac{1}{4}$ section post at an. cut on the line from
 which Mark 10 in. dia. beam S78 E. 34 links each;
 and a Mark 12 in. " " S18 W 9 " "
- 80.00 To the post cor of Sec. 1, 2, 11, & 12.

- North Between Sec. 1 & 12 T. 6. N. R. 6 W.
- 40.00 Set a $\frac{1}{4}$ section post in prairie
- 102.75 Intersect the N Boundary at the post cor of Sec.
 35 & 36 T. 7. N. R. 6 W.
 Land soil and timber same as last note.

- North Between Sec. 34 & 35 T. 6. N. R. 6 W.
- 40.00 Set a $\frac{1}{4}$ section post from which on
 Ironwood 8 in. dia. beam S88 E. 2 links each; & 9
 Back 7 " " " S11 W 23 " "
- 80.00 Set a post for the cor of Sec. 26, 27, 34 & 35 from which,
 Back 24 in. dia. beam S20 E. 23 links each; & 3
 No. 12 " " " S18 W 9 " "

T. N. 6. N. 6. N. 6. W. 1st Mer. Ind.

- 53.49 Set a post on the Left Bank of White River for the cor.
of Sec. 23 & 26. from which a
Maple 10. in diam. bears N 40. W 6. links dist. In
bottomwood 20 in. " " S. 82 E. 28. " "
- 61.50 To the Right Bank of White River
- 73.00 Set a post on the Right Bank of White River —

North Between Sec. 22 & 23. T. N. 6. N. 6. N. 6. W.

- 1.50 Set a post on the Left Bank of White River from which
a Buckeye 10. in diam. bears S. 34. W. 20. links dist. In
So. 10 " " " S. 67. E. 12. " "
- 10.05 To a bottomwood 10. in diam. Cor. on the river;
- 19.00 Set a post on the Right Bank of White River from which
a Hackberry 12. in diam. bears N. 12. W. 25. links dist.
In Locust 20 " " " S. 15. W. 12. " "
- 46.00 Set a post for the cor. of 1/4 Sec. from which an
Elm 12. in diam. bears S. 15. E. 28. links dist. In
Hackberry 9. in diam. bears N 47. W. 27. links dist.
- 75.00 To a Pond 250. links wide; Course S. E. & N. W.
- 80.00 Set a post for the cor. of Sec. 14. 15. 22. & 23. from which
an Ironwood 8. in diam. bears S. 59. W. 12. links dist.
In Hackberry 12. " " " N 16. W. 4. " "
Land rich &c.

East On a Random line between Sec. 14 & 23. T. 6. N. 6. W.

- 40.00 Gro. temp. post for the cor. of 1/4 Sec.
- 60.00 To a Pond 8. chains wide. Course N. & S.
- 80.00 Intersect the N. & S. line 12 links South of the post cor.
of Sec. 13. 14. 23. & 24.

Land level & rich

- West On the true line between Sec. 14 & 23. T. 6. N. 6. W.
- 4000 Set the temp. post at or near the true line from

T. N. 6. N. R. N. 6. W. 2nd Mer. Ind. 57

white Sugar 14 in. diam. band. Well 42 links ash;
and a Post. 20 " " S43 E. 14 " "
80.00 To the post cross of sec. 14, 15, 22 & 23.

North Return Sec 14 & 15 T. 6. N. R. 6 W.
6.00 To a Pond 5 ch. on a, corner N.E. & S.W.
40.00 Set a 7/8 sa post from which on
Elev. 20 in. diam. band. S23 W. 29 links ash; & 5
Sum. 10 " " " N88 E. 9 " "
80.00 Set a post for the cross of sec. 10, 11, 14 & 15 from which
B. Oak. 12 in. diam. band. N65 E. 32 links ash; &
Hq. 12 " " " N18 W. 38 " "
Sinter Rock. ash, Elev & Sum. Sander not.

East Oak Run line between Sec. 11 & 14. T. 6. N. R. 6 W.
10.00 To Prairie
40.00 Set a temp. 7/8 sa post.
65.00 To timbered land.
79.55 Intersect the N & S line 28 links North of the post
cross of sec. 11, 12, 13 & 14.
Sander not.

West Oak Run line between Sec. 11 & 14. T. 6. N. R. 6 W.
39.77 Set the temp. 7/8 sa post at an. dish on the line
79.55 To the post cross of sec. 10, 11, 14 & 15.

North Return Sec 10 & 11. T. 6. N. R. 6 W.
10.00 To Prairie
40.00 Set a 7/8 sa post in the prairie
80.00 Set a post for the cross of sec. 2, 3, 10 & 11 from which
P. Oak. 8 in. diam. band. South 617 lbs ash;
Sander not.

T. N. 6. N. R. N. 6 W. 2nd Mer. Ind.

East On a Ranam line between Sec. 2 & 11. T. 6. N. R. 6 W.
 40.00 Set a trap 7 1/4 to post
 79.80 Intersect the N. 3 line at the post cor of sec. 1, 2, 11 & 12
 This line over prairie

West On the same line between Sec. 2 & 11. T. 6. N. R. 6 W.
 39.90 Set the trap 7 1/4 to post at av. creek on the same line.
 79.80 To the post cor of sec. 2, 3, 10 & 11.

North Between Sec. 2 & 3. T. 6. N. R. 6 W.
 40.00 Set the 7 1/4 to post
 55.00 To timbered land,
 75.00 To Prairie
 85.00 To Timbered land.
 102.50 Intersect the N. 3 line at the post in the N. Boundary
 cor of sec. 34 & 35.
 Run de the same as last mile.

North Between Sec. 33 & 34. T. 6. N. R. 6 W.
 29.50 To a Pine 200 links side. E & W.
 40.00 Set a 7 1/4 to post from which on
 Elm. 10 in. dia. line N 45 W. 8 links out; 13
 Box Elder. 8 " " " S 15 E. 32 " "
 79.20 To a B. Walnut. 24 in. dia. stands in the line.
 80.00 Set a post for the cor of sec. 27, 28, 33 & 34 from which,
 Birch. 20 in. dia. line. S 15 W. 35 links out; 13
 Hackberry 8 " " " S 37 W. 14 " "
 Land very rich, good wood, Timber Walnut &
 Ash, &c.

East On a Ranam line between Sec. 27 & 34. T. 6. N. R. 6 W.
 40.00 Set a trap 7 1/4 to post
 80.00 Intersect the N. 3 line 13 links North of the post

cor of sec. 26, 27, 34 & 35

Land de Rind and timber same as last mile.

West
40.00 Cut the line between Sec. 27 & 34 T. 6. N. R. N. 6 W.
Set the timber 7th support at an. dist on the line from
Whit, Hackberry 10 in. diam. bend. S 87 E. 23 lks. dist
and a Buckeye 6 " " " S 47 W 14 " "
80.00 To the first cor of sec. 27, 28, 33 & 34

North
9.66 Return Sec. 27 & 28 T. 6. N. R. 6 W.
Set a post on the Left Bank of White River from which
Hackberry 10 in. diam. bend. S 75 E. 15 links dist; &
Hackberry 7 " " " S 88 W 13 " "
40.00 1/4 support in the River.
47.29 Set a post on the Right Bank of White River for the
cor of sec. 27 & 28 from which,
Maple. 6 in. diam. bend. N 28 W. 13 links dist; &
Ho. 12 " " " S 38 E. 21 " "
Land de same.
80.00 Set a post for the cor of sec. 21, 22, 27 & 28 from which,
Maple. 10 in. diam. bend. N 69 W 6 links dist; &
Ho. 7 " " " S 57 W 8 " "
Land de same.

West
1.00 Return Sec. 22, & 27. T. N. 6. N. R. 6 W
Set a post on the Left Bank of White River for the
cor of sec. 22 & 27 from which,
2nd Walnut 7 in. diam. bend. S 40 W. 15 links dist; &
Hackberry 7 " " " N 85 E. 13 " "
30.50 Set a post on the Left Bank of White River for the
cor of sec. 22 & 27 from which,
Mulberry 10 in. diam. bend. S 56 E. 14 links dist;
Box Elder 7 " " " N 86 E 5 " "

T. N. 6. N. 6. N. 6. W. 2nd Mer. Ind.

38. 00 Made a cor. for Sec. 22 & 27, on an Oak 12 in diam. on the Right Bank of the River
44. 30 To a Pond 75. links wide. bears South
62. 00 Set a post on the Right Bank of White River from which a Maple 12 in diam. bears S. 75. E. 41. links dist. & a
Do 10 " " " N. 24. W. 20. " "
- East Between Sec. 22 & 27. T. 6. N. 6. W.
81. 96 Made the cor. on a bottom wood 8 in diam. for the cor. of Sec. 22 & 27, on the Left Bank of White River.

- North Between Sec. 21 & 22. T. 6. N. 6. W.
2. 85 A Maple 12 in diam. stands for the cor. of Sec. 21 & 22, on the Left Bank of White River.
10. 00 Set a post on the Right Bank of White River from which a Buckeye — in diam. bears N. 6. E. 21. links dist. & a Hackberry 7. " " " S. 20. E. 17. " "
40. 00 Set a post for the cor. of 1/4 Sec. from which an Elm 20. in diam. bears N. 28. E. 6. links dist. and a Buckeye 6. " " " S. 40. W. 3. " "
69. 00 To a Pond 6. chains wide; bears S. E. & N. W.
80. 00 Set a post for the cor. of Sec. 15 & 16. 21 & 22. from which a Gum 10 in diam. bears S. 81. W. 37. links dist. & an Elm 20. " " " N. 5. E. 39. " "
- Long same as on the last mile

- East On a Random line between Sec. 15 & 22. T. 6. N. 6. W.
40. 00 Set a tempo post for the cor. of 1/4 Sec.
50. 00 To a Pond 5. chains wide; bears N. & S.
75. 00 " " Do 3. " " " N. W. & S. E.
80. 00 Intersect the N. & S. line 12 links South of the post cor. of Sec. 14. 15. 22 & 23.
- Long met — Timber: W. Ash. Elm. &c.

55

T. N. C. N. B. N. C. W. L. Mer. Ind. a

West On the true line between Sec. 15. & 22 T. 6. N. B. C. W.
 40.00 Set the temp. post for the cor. of $\frac{1}{4}$ Sec. at the cor. dist. on the
 true line from which a
 Lymn 8. in diam. bears S. 6. 6. W. 39. links dist. on
 Brook 10. " " " N. 24. E. 23. " "
 80.00 To the post cor. of Sec. 15. 16. 21. & 22.

North Between Sec. 15. & 16. T. 6. N. B. C. W.
 40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
 Gum 12. in diam. bears N. 6. W. 54. links dist. on
 Elm 20. " " " S. 33. W. 31. " "
 75.00 To a B. Oak 20. in diam. stands in the line
 80.00 Set a post for the cor. of Sec. 9. 10. 15. & 16. from which a
 Hickory 8. in diam. bears N. 8. E. 40. links dist. and a
 B. Oak 20. " " " N. 88. W. 31. " "
 Land of wt. Timber Elm, Gum, Maple, Ash. &c.

East On a Random line between Sec. 10. & 15. T. 6. N. B. C. W.
 20.00 To a Brook 30 links wide, because G. W.
 40.00 Set a temp. post for the cor. of $\frac{1}{4}$ Sec.
 80.00 Intersect the N. & S. line at the post cor. of Sec. 10. 11. 14. & 15.
 Land of same as on the last mile

West On the true line between Sec. 10 & 15. T. 6. N. B. C. W.
 40.00 Set a temp. post for the cor. of $\frac{1}{4}$ Sec. at the cor. dist. on the
 true line. from which a
 N. Ash 20. in diam. bears S. 73. E. 35. links dist. on
 " Do 19. " " " N. 30. E. 18. " "
 80.00 To the post cor. of Sec. 9. 10. 15. & 16.

North Between Sec. 9. & 10. T. 6. N. B. C. W.
 40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
 Hick. 10. in diam. bears North 52. links dist. on

T. A. C. A. B. C. A. C. M. 2nd Mer. Ind.

- Elm 10. in diam. bears S. 5. W. 37 links dist.
 50.00 To Prairie
 80.00 Set a post for the cor. of Sec. 3. 4. 9. & 10. from which an
 Elm 12. in diam. bears S. 33. W. 109 links dist.
 Land. met

- East On a Random line between Sec. 3 & 10. T. 6. S. R. 6. M.
 40.00 Set a temp^l post for the cor. of 1/4 Sec.
 60.00 To a Pond 4 chains wide.
 80.00 Intersect the S. & T. line 12 links S. of the post cor. of
 Sec. 2. 3. 10. & 11.
 This line is over. Prairie.

- West On the true line between Sec. 3 & 10. T. 6. S. R. 6. M.
 40.00 Set a temp^l post for the cor. of 1/4 Sec. at the cor. dist. on the
 true line from which for a corner.
 80.00 To the post cor. of Sec. 3. 4. 9. & 10.

- North Between Sec. 3. & 4. T. 6. S. R. 6. M.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 W. Oak 36. in diam. bears S. 85. E. 52 links dist. N.
 Hick^l 12. " " " S. 15. E. 41. " "
 90.00 To a Prairie
 103.00 Set a post 75 links East of the post cor. of Sec. 33. & 34.
 Land level & thindy timbering with Oak Hickory & Elm.

- North Between Sec. 32. & 33. T. 6. S. R. 6. M.
 9.32 Set a post on the Left Bank of White River from which an
 Elm 6 in diam. bears S. 1. E. 7 links dist. S.
 Red Bud 7. " " " S. 61. W. 21. " "
 24.00 Set a post on the Right Bank of White River from which
 a Maple 6. in diam. bears S. 6. E. 12 links dist. S.
 No. 10 " " " S. 57. W. 11. " "

- 40.00 Set a post for the cor. of 14 Sec. from which an Elm 20 in diam. bears N 2. W. 19. links dist. to
 No 10. " " " N 62. W 19. " "
- 59.60 To a Birch 20. in diam. stands in the line
- 80.00 Set a post for the cor. of Sec. 28. 29. 32. & 33. from which a Hickory 9. in diam. bears S. 24. E. 22. links dist. to
 Birch 8. " " " N 44. W. 30. " "
 Land rich

- East Between Sec. 28. & 33. T. N. C. N. B. N. C. W.
- 40.00 Set a post for the cor. of 14 Sec. from which a Hackberry 10. in diam. bears S. 45. W. 17. links dist. to
 No 10 " " " North 33. " "
- 45.50 Set a post on the Right Bank of White River from which a W. Ash 12. in diam. bears S. 41. E. 7. links dist. to
 Sugar 8. " " " N 15. W 11. " "
- West Between Sec. 28. & 33. T. N. C. N. B. N. C. W.
- 26.85 Set a post for the cor. of Sec. 28. & 33. on the Left Bank of White River from which a Maple 12. in diam. bears N. 44. W. 14. links dist. to Maple 8. in diam. bears S. 8. E. 14. links dist.
 Land same as on the last mile

- North Between Sec. 28. & 29. T. N. C. N. B. N. C. W.
- 40.00 Set a post for the cor. of 14 Sec. from which a W. Oak 24 in diam. bears S. 9. W. 20. links dist. and a
 Hickory 10. " " " S. 61. E. 10. " "
- 60.80 To a B. Oak 20. in diam. stands in the line
- 80.00 Set a post for the cor. of Sec. 20. 21. 28 & 29. from which a W. Ash 9. in diam. bears S. 9. E. 64. links dist. to
 B. Oak 20. " " " S. 39. W. 40 " "
 Land same as on the last mile.

East On a Boundary line between Sec 21 & 28. T. N. C. N. B. N. C. W.

T. & C. St. R. & C. M. 2nd Mer. Ind.

- 40.00 Get a spot for the cor. of 14 Sec.
 08.18 Get a spot for the cor. of Sec. 21 & 28 on the Right Bank
 of White River from which a
 Red Bud 8. in diam. bears N. 44. E. 8. links dist. to
 M. Ash 7. " " " G. 21. E. 11. " "
 Land same as in the last mile
- West Between Sec. 21 & 28. T. & C. St. R. & C. M.
 3.50 Get a spot on the Left Bank of White River for the cor.
 of Sec. 21 & 28. from which a
 Cottonwood 8. in diam. bears N. 79. E. 20. links dist. to
 Lyeamore 9. " " " G. 48. M. 6. " "
 Land same as in the last mile.

- North Between Sec. 20 & 21. T. & C. St. R. & C. M.
 40.00 Get a spot for the cor. of 14 Sec. from which a
 B. Oak 8. in diam. bears N. 34. M. 44. links dist. to
 " No 10. " " " N. 78. M. 65. " "
 66.20 To a M. Oak 12. in diam. stands in the line
 80.00 Get a spot for the cor. of Sec. 16 & 17, 20 & 21. from which
 a M. Oak - in diam. bears N. 47. E. 14. links dist. to
 " No 12. " " " N. 87. M. 34. " "
 Land level Timber. Oak & Hickory.

- East On a Random line between Sec. 16 & 21. T. & C. St. R. & C. M.
 40.00 Get a temp. spot for the cor. of 14 Sec.
 70.00 To a Pond 5 chains wide; corner N. & S.
 80.20 Intersect the N. & S. line at the spot cor. of Sec. 15, 16, 21 & 22.
 Land same as on the last mile

- West On the true line between Sec. 16 & 21. T. & C. St. R. & C. M.
 40.10 Get the temp. spot for the cor. of 14 Sec. at the aver. dist. in the
 true line from which a B. Oak 20. in diam. bears S 88. M. 36. links dist. to
 Elm 20. " " " S 70. E. 33. " "

80. 20 To the spot for the cor. of Sec. 16. 17. 20 & 21.

North Between Sec. 16 & 17. T. 6. N. 6. S. 6. W.

40. 00 Set a post for the cor. of 1/4 Sec. from which a
B. Oak 20. in diam. bears S. 35. E. 33. links dist. and a
W. Oak 12. " " " North 25. " "

80. 00 Set a post for the cor. of Sec. 8. 9. 16. & 17. from which a
W. Oak 12. in diam. bears S. 61. E. 29. links dist. and a
" Do 30. " " " N. 26. W. 45. " "

Land the same as in the last mile.

East On a Random line between Sec. 9. & 16. T. 6. S. 6. W.

40. 00 Set a temp. post for the cor. of 1/4 Sec

79. 90 Intersect the S. & E. line 30. links South of the post cor.
of Sec. 9. 10. 15. & 16.

Land west; Timber. Elm. Oak. & Hickory.

The true line between Sec. 9. & 16. is omitted.

North Between Sec. 8. & 9. T. 6. N. 6. S. 6. W.

12. 15 To a B. Oak 15. in diam. stands in the line.

40. 00 Set a post for the cor. of 1/4 Sec. from which a
B. Oak 30. in diam. bears N. 71. W. 44. links dist. and a
W. Oak 18. " " " S. 59. E. 44. " "

80. 00 Set a post for the cor. of Sec. 4. 5. 8. & 9. from which a
B. Oak 20. in diam. bears S. 20. W. 53. links dist. &
Hickory 10. " " " N. 3. W. 35. " "

Land same as in the last mile.

East On a Random line between Sec. 4. & 9. T. 6. S. 6. W.

15. 00 To a Prairie

40. 00 Set a temp. post for the cor. of 1/4 Sec

50. 00 To timbered Land.

T. N. C. N. B. N. C. W. 2nd Mer. Ind.

79.80 Intersect the N. & S. line 48. miles South of the Post.
cor. of Sec. 3. 4. 9. & 10.

Land level; Timber Oak & Hickory

West On the true line between Sec. 4 & 9. T. 6. N. B. W.

39.90 Set a temp^l post for the cor. of 1/4 Sec. at the above dist. on the true line

79.80 To the Post cor. of Sec. 4. 5. 8. & 9.

North Between Sec. 4 & 5. T. 6. N. B. W.

40.00 Set a post for the cor. of 1/4 Sec. from which a
B. Oak 10. in diam. bears N. 36. W. 47. miles dist. &c

45.00 To the N. W. Cor. of a Prairie

75.00 To Timbered Land

102.00 Intersect the N. Boundary 178. miles East of the Post
cor. of Sec. 32. & 33. T. 7. N. B. W. and set a post for the
cor. of Sec. 4 & 5. from which a
B. Oak 24. in diam. bears N. 38. E. 53. miles dist. &c

Land very brushy; Timber Oak & Hickory

North Between Sec. 31 & 32. T. 6. N. B. W.

40.00 Set a post for the cor. of 1/4 Sec. from which a
Hickory 6. in diam. bears N 10 E. 37. miles dist. &c

80.00 Set a post for the cor. of Sec. 29. 30. 31. & 32. from which
a W. Ash 10. in diam. bears N. 2. E. 50. miles dist. &c

" N 30. " " " S. 14. W 25. " "

Land rich & level. Timber Oak. Ash. Walnut. &c.

East On a Runcle line between Sec. 29. & 32. T. 6. N. B. W.

40.00 Set a temp^l post for the cor. of 1/4 Sec.

79.72 Intersect the N. & S. line 18. lbs. E. of the Post cor. of Sec. 28.
29. 32 & 33

Land same as on the last mile

T. N. C. N. B. N. C. W. 2nd Mer (Inda)

West On the true line between Sec. 29. & 32 T. 6. N. R. 6. W.
 39. 86 Set a temp. post at the aver. dist. on the true line for the
 cor. of 1/4 Sec. from which a
 Hackberry 15. in diam. bears North 1. link dist. in
 79. 71 To the post cor. of Sec. 29. 30. 31. & 32.

North Between Sec. 29. & 30. T. 6. N. R. 6. W.
 12. 00 To a B. Oak 18. in diam. stands in the line
 40. 00 Set a post for the cor. of 1/4 Sec. from which an
 Ash 10. in diam. bears N. 15. E. 31. links dist. & an
 Elm 12. " " " N. 75. E. 28. " "
 55. 00 To a Prairie
 80. 00 Set a post for the cor. of Sec. 19. 20. 29. & 30. from which
 in a prairie; Land level;

East On a Random line between Sec. 20 & 29. T. 6. N. R. 6. W.
 39. 50 To some timber.
 40. 00 Set a temp. post for the cor. of 1/4 Sec.
 89. 00 Intersect the N. & E. line 12. links N. of the post. cor. of Sec.
 20 21. 28. & 29. Land same as on the last mile.

West On the true line between Sec. 20. & 29. T. 6. N. R. 6. W.
 40. 00 Set a post for the cor. of 1/4 Sec. at the aver. dist. on the true line
 from which an Elm 22 in diam. bears N. 75. W. 24. links dist. &
 80. 00 To the post cor. of Sec. 19. 20. 29. & 30.

North Between Sec. 19. & 20. T. 6. N. R. 6. W.
 21. 00 To Timbered Land;
 40. 00 Set a post for the cor. of 1/4 Sec. from which a
 W. Oak 12. in diam. bears N. 88. W. 12. links dist. &
 " Do 18. " " " S. 49. E. 21. " "
 80. 00 Set a post for the cor. of Sec. 17. 18. 19. & 20. from which an
 Elm 10. in diam. bears N. 24. E. 6. links dist. &

T. A. C. A. B. No 6. M. Ind. Mee (Ind.)

Elm 6. in diam: bears N. 74 W. 19. lks. dist.

Land very level. L met. Timber, Elm. Ash. & Hickory.

East On a Random line between Sec. 17. & 20. T. 6. N. R. 6. W.
17. 50 To a Prairie

29. 50 To Timbered Land;

40. 00 Set a temp^o post for the cor. of $\frac{1}{4}$ Sec.

79. 80 Intersect the S. & E. line 20. links S. of the post cor. of Sec.
16. 17. 20 & 21. Land same as on the last mile

West On the true line between Sec. 17. & 20. T. 6. N. R. 6. W.
39. 90 Set a temp^o post at the aver. dist. on the true line for the cor.
of $\frac{1}{4}$ Sec. from which a

B. Oak 7. in diam: bears N. 76. W. 10. links dist. S.

" No 12. " " " N. 52. E. 32. " "

79. 80 To the post cor. of Sec. 17. 18. 19. & 20.

North Between Sec. 17. & 18. T. 6. N. R. 6. W.

40. 00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a

W. Oak 8. in diam: bears N. 73. E. 9. links dist. S.

Hick 12 " " " S. 72. W. 22. " "

63. 00 To a Prairie

80. 00 Set a post for the cor. of Sec. 17. 18. 19. & 20. in the Prairie.

Land the same as on the last mile.

East Between Sec. 8. & 17. T. 6. N. R. 6. W. On a Random line

10. 00 To Timbered Land.

40. 00 Set a temp^o post for the cor. of $\frac{1}{4}$ Sec.

79. 75 Intersect the S. & E. line at the post cor. of Sec. 8. 9. 16 & 17.

Land same as on the last mile.

West On the true line between Sec. 8. & 17. T. 6. N. R. 6. W.

39. 87 $\frac{1}{2}$ Set the temp^o post at the aver. dist. on the true line for the cor.

T. N. C. N. R. N. C. N. 2nd Mer.

of 14 Sec. Gum which a
 Gum 10. in diam. bears N. 57. E. 4. links dist. to
 N. Oak 12. in " " S. 12. E. 24. " "
 79.75 To the East cor. of Sec. 7. 8. 17. & 18.

North Between Sec. 7. & 8. T. 6. N. R. N. C. N.
 25.00 To timbered Land.
 40.00 Get a Post for the cor. of 14 Sec. Gum which a
 Elm 12. in diam. bears N. 31. E. 26. links dist. to
 No 10 " " " S. 25. W. 20. " "
 60.00 To a Fence covered with Brush.
 80.00 Get a Post for the cor. of Sec. 5. 6. 7. & 8.
 Land the same as in the last mile.

East On a Boundary line between Sec. 5 & 8. T. 6. N. R. N. C. N.
 30.00 To Timbered Land on the East side of the opens
 40.00 Get the Temp^l Post for the cor. of 14 Sec.
 90.00 Intersect the S. & E. line 14. links north of the Post
 cor. of Sec. 4. 5. 8. & 9.
 Land of rolling Timber. Oak & Hickory.

West On the true line between Sec. 5 & 8. T. 6. N. R. N. C. N.
 40.00 Get the temp^l Post at the cor. dist. on the true line for the cor.
 of 14 Sec. Gum which a
 Hickory 9. in diam. bears S. 10. W. 3. links dist. to
 No. 12. " " " N. 85. W. 68. " "
 80.00 To the East cor. of Sec. 5. 6. 7. & 8.

North Between Sec. 5. & 6. T. N. C. N. R. N. C. N.
 40.00 14th cor. in the field
 52.00 To Timbered Land
 103.20 Intersect the N. Boundary at the post
 Intersect Oak & Hickory

T. N. C. N. C. N. C. W. 2nd Mer (Ind. 2)

104.00 Intersect the S. Boundary at the post cor. of Sec. 31 & 32.
Land level. & thinly timbered in places

West Between Sec. 30 & 31 T. 6. N. C. C. W.
40.00 Get a post for the cor. of 1/4 Sec. from which a
B. Oak 20. in diam. bears N. 10. E. 9. links dist. &c
Hickory 6. " " " S. 76. W. 22. " "
86.30 Get a post on the West Boundary 15. 76. South of the
post cor. of Sec. 25 & 36. T. 6. N. C. N. 7. W. Get a post for
the cor. of Sec. 30 & 31. from which a
Gusaraprus 10. in diam. bears N. 5. W. 41 links dist.
Land the same as on the last mile.

West Between Sec. 19 & 30. T. 6. N. C. C. W.
30.00 To Timbered Land.
40.00 Get a post for the cor. of 1/4 Sec. from which a
B. Oak 20. in diam. bears S. 74. E. 36. links dist. &c
" No 12. " " " S. 57. W. 32. " "
86.88 Intersect the West Boundary 18. 76. South of the post. cor.
of Sec. 24 & 25. T. 6. N. C. N. 7. W. Get a post for the cor.
of Sec. 19 & 30. from which a
Maple 12 in diam. bears N 70 E. 21. links dist. &c
No 15. " " " N 32. W. 14. " "
Land same as on the last mile

West Between Sec. 18 & 19. T. 6. N. C. C. W.
35.35 To a Prairie
40.00 Get a post for the cor. of 1/4 Sec. in a Prairie
87.35 Intersect the West Boundary 22. 60. South of the post
cor. of Sec. 13 & 24. Land level.

West Between Sec. 7 & 18. T. 6. N. C. C. W. 2nd Mer.
38.50 To Timbered Land.

65

T. N. 6. N. 6. N. 6. N. 6. 2nd Mer. (Ind. 4)

- 40.00 Set a post for the cor. of 14 Sec. from which an
Elm 10 in diam. bears S. 40. E. 12. links dist. to
N. Oak 10. " " S. 65. W. 16. " "
87. 30 Intersect the West Boundary 25.00 & 60.00 South of
the post cor. of Sec. 12. & 13. T. 6. N. 6. N. 6. N. 6. 2nd Mer. Set a
post for the cor. of Sec. 7. & 18. from which a
B. Oak 7. in diam. bears S. 80 E. 35. links dist. to
" No 10 " " " S. 54 E. 35. " "
Land level. Timber. Oak. Hickory & Elm.

West Between Sec. 6. & 7. T. 6. N. 6. N. 6. N. 6.

40.00 Set a post for the cor. of 14 Sec. in the pence.

55.00 To some timber

88.00 Intersect the West Boundary 28.00 links S. of the post set
for the cor. of Sec. 10 & 12. T. 6. N. 6. N. 6. N. 6.

Land same as on the last mile.

Surveyed by
Arthur Henrich N.S.

Meanders of the West Fork of White River on the
Right Bank Commencing in the South Boundary of
Sec. 32 T. 6. N. 6. N. 6. N. 6. then upstream

N 30 W 15.00

N 5 E. 19.00

N 63 E. 18.00

In Sec. 32

S 68 E. 10.00

S 26 E. 13.50 To the post in line of Sec. 32 & 33. T. 6. N. 6. N. 6. N. 6.

S 26 E. 11.00

S 82 E. 25.50

N 30 E. 8.00

In Sec. 33.

N 40 W 32.00

N 19 E. 17.00

T. N. 6. N.R. N. 6 W. 2nd Mer. Sud?

East 27.00.
 N48 E. 16.00
 N28 W 17.00 To the post in line between Dec 28 & 33.

++

N28 W 19.00

N31 E. 17.00

East. 11.00

S64 E. 28.00

In Dec. 28.

N44 E. 10.00

N25 E. 42.00

N7 E. 18.00 To the post in line between Dec. 21 & 28

N31 E. 11.50

In Dec. 21.

East 5.50 To the post in line between Dec 21 & 22

S78 E. 12.00

In Dec. 22

S36 E. 10.00 To the post in line between Dec 22 & 24.

S12 W. 19.00

S39 E. 18.00

East 7.00

In Dec 27.

N34 E. 10.00

N10 E. 25.00 To the post in line between Dec. 22 & 27.

N10 E. 7.00

N72 E. 39.00

S65 E. 13.20

S20 W 14.00

To post in line between Dec. 23 & 26.

S20 W 20.00

N79 E. 14.00

N79 E. 24.00

in Dec. 23.

N74 E. 23.50

67

T. N. 6. N. R. N. 6 W. 2nd Mer. Ind. 5

886 E.	30.50	To the post in line between Sec. 23 & 24
872 E.	19.50	In Sec. 24.
849 E.	30.50	To the post in line between Sec. 24 & 25.
849 E.	14.00	
884 E.	28.50	To the East Boundary of Sec. 25. T. 6. N. R. 6 W.

Meanders of White River, Left Bank
Commencing in the South Boundary of Sec. 32. T. N. 6.
N. R. 6 W. thence upstream.

N 52 W	13.00	
N 26 W.	9.00	
N 2 E.	11.50	in Sec. 32
N 50 E.	6.00	
East.	7.00	
830 E.	24.23	To the post on the line between Sec. 32 & 33.

845 E.	7.50	
873 E.	9.00	
N 80 E.	20.50	
N 32 E.	14.00	
N 35 W	14.00	
N 58 W.	20.00	in Sec. 33.
N 10 E.	9.50	
884 E.	13.00	
N 73 E.	14.00	
N 53 E.	14.00	
N 5 E.	15.50	
N 33 W	10.00	To the post on the line between Sec. 33 & 34.

T. N. 6. M. N. 6. 7. 2nd M. 2nd

N 33 W 18.00
 N 26 E. 6.50 in Dec. 28.
 N 70 E. 8.00
 S 49 E. 8.50
 S 27 E. 21.50 In the post in line between Dec. 27 & 28.

N 70 E. 8.50
 N 37 E. 11.00 in Dec. 27.
 N 9 W. 10.00
 N 38 W. 21.00 In the post in line between Dec. 27 & 28.

N. 3 W. 10.00
 N 19 W 13.50 in Dec. 28.
 N 14 E. 11.00 In the post in line between Dec. 21 & 28

N 46 E. 5.00 In the post in the line between Dec. 21 & 22
 S 80 E. 9.50 In the post in the line between Dec. 22 & 27.

S 12 W. 18.00
 S 25 E. 17.50
 S 68 E. 17.00
 N 69 E. 11.00 In Dec. 27.
 N 37 E. 5.00.
 N 21 E. 10.00
 N 8 E. 24.00 In the post in line between Dec. 22 & 27.

N 69 E. 32.50 In the post in line between Dec. 22 & 23

S 41 E. 5.00
 S 35 W. 5.00 In the post in line between Dec. 22 & 23.

S 35 W. 2.50 In the post in line between Dec. 22 & 27

69

T. N. C. M. R. No 677. 2nd Mer. Sur.

935 W.	15.00	
919 E.	9.50	In sea. 27.
951 E.	9.50	In the post on the line between Sur. 26 & 27.

N 79 E.	18.00	Lo at York. 100 mts. mds.
N 43 E.	9.50	in sea. 26.
N 16 E.	17.00	In the post in line between Sur. 23 & 26.

N 16 E.	9.00	
N 46 E.	8.00	
N 64 E.	10.00	In sea. 23.
N 85 E.	19.00	
885 E.	18.00.	In the post in line between Sur. 23 & 24

873 E.	9.00	
835 E.	8.00	In sea. 24
948 E.	18.50	In the post in line between Sur. 24 & 25.

861 E.	4.00	
851 E.	17.50	
875 E.	18.50	
981 E.	15.00	In the post on the East Boundary of sur. 25, T. N. C. M. R. No 677.

Surveyed by
Arthur Kenric, F.S.

T. No. 6. N. W. No. 6. W. 2nd Mer. Ind.

certify that the foregoing transcript of the
field notes of Township No. 6 North of Range
No. 6 West of the 2nd Principal Meridian Indi-
ana. has been compared with the Original notes
in the Office and found to be correct.

Surveyor General's Office

Cincinnati May 29 1841

E. D. Daines

Sur. Genl.